

# **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024 頁數(Page): 1 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By)

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

樣品名稱(Sample Name)

增韌母粒、抗靜電母粒、滑劑母粒、抗黏母粒、飛流母粒、抗紫外母粒、 碳酸鈣母粒、生物分解母粒、防霧劑、抗氧化劑、潔管劑粒、硫酸鋇母粒

樣品型號(Style/Item No.)

3001 \ 3001A \ 3001A-FB \ 3003A \ 3006A \ 3002 \ 30017 \ 30072 \ 3017 \ M39 STC2 \ STC4 \ STC5 \ STC6 \ STC8 \ STC21 \ STC28 \ STC32 \ STC40 \ STC41-2 \ STC43 \ STC46 \ ESD009 \ ESD360 \ 3050 \ 3070 \ 3071 \ 3073 \ 3080 \ 3082 \ 3087 \ 3093P \ 5000 \ 5000L \ 5007 \ 5023 \ 5037 \ 5040 \ 5060 \ 5069 \ 5217 \ 5220 \ 5300 \ 5403 \ 5405 \ 5000P \ 6000 \ 60001 \ 6008 \ 6022 \ 6094 \ 6096 \ 6098 \ 6099 \ 6111 \ 6211 \ 6222 \ 6310 · 6312 · 6320 · 6600 · 6602 · 6661 · 6664 · 60083 · R0001 · R0006 ·

R0058 \ STC899 \ 3009 \ 3001N \ 3095 \ 3002P

\_\_\_\_\_\_

收件日(Sample Receiving Date)

23-Feb-2024

測試期間(Testing Period)

23-Feb-2024 to 04-Mar-2024


測試需求(Test Requested)

依據客戶要求進行測試,測試項目請參閱測試結果表格。(Testing item(s) is/are

specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)





CODF: 9955F430



## **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024 頁數(Page): 2 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

#### 測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013·以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013,以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017,以感應耦	mg/kg	2	n.d.
	合電漿發射光譜儀分析。(With reference to IEC			
	62321-4: 2013+ AMD1: 2017, analysis was			
	performed by ICP-OES.)			
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017,以紫外光-可見光分光	mg/kg	8	n.d.
Cr(VI))	光度計分析。(With reference to IEC 62321-7-2:			
	2017, analysis was performed by UV-VIS.)			
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.



## **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024

頁數(Page): 3 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)	<u> </u>	mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	參考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.
phthalate (BBP))				
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.
phthalate (DBP))				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.
(2-ethylhexyl) phthalate (DEHP))				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	A +	mg/kg	50	n.d.
phthalate (DIBP))	参考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分			
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	析。(With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
phthalate (DIDP)) (CAS No.: 26761-40-	analysis was performed by GC/MS.)			
0, 68515-49-1)				
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl		mg/kg	50	n.d.
phthalate (DINP)) (CAS No.: 28553-12-		J, J		
0, 68515-48-0)				
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.
phthalate (DNOP)) (CAS No.: 117-84-0)		] 3, 9		
富馬酸二甲酯 (DMFu) (Dimethyl	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀	mg/kg	0.1	n.d.
fumarate (DMFu)) (CAS No.: 624-49-7)	分析。(With reference to US EPA 3550C: 2007,			
	analysis was performed by GC/MS.)			



# **Test Report**

號碼(No.): ETR24204349

日期(Date): 04-Mar-2024

頁數(Page): 4 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2021·以傅立葉轉換紅外線光 譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.)	**	-	Negative
全氟辛烷磺酸 (PFOS) (Perfluorooctane sulfonates (PFOS)) (CAS No.: 1763-23- 1)	參考CEN/TS 15968: 2010‧以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛基磺酸鉀 (PFOS-K) (Potassium Perfluorooctanesulfonate (PFOS-K)) (CAS No.: 2795-39-3)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.
全氟辛基磺酸鋰 (PFOS-Li) (Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)) (CAS No.: 29457-72-5)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.
全氟辛基磺酸銨 (PFOS-NH4) (Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)) (CAS No.: 29081-56-9)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.
全氟辛基磺酸二乙醇銨 (PFOS-NH(OH)2) (Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH)2)) (CAS No.: 70225-14-8)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01 ▲	n.d.
全氟辛基磺酸四乙基銨 (PFOS-N(C2H5)4) (Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS- N(C2H5)4)) (CAS No.: 56773-42-3)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.
全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) (N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)) (CAS No.: 251099-16-8)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01 🛦	n.d.



## **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024

頁數(Page): 5 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
全氟辛基磺醯氟 (POSF) (Perfluorooctane sulfonyl fluoride (POSF)) (CAS No.: 307- 35-7)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.
全氟辛基磺酸鎂 (PFOS-Mg) (Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)) (CAS No.: 91036-71-4)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01 ▲	n.d.
全氟辛基磺酸鈉 (PFOS-Na) (Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)) (CAS No.: 4021-47-0)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl- Perfluoroctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl- Perfluoroctanesulfonamidoethanol (N- Me-FOSE alcohol)) (CAS No.: 24448-09-7)	參考CEN/TS 15968: 2010‧以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛基磺醯胺 (PFOSA) (Perfluoroctanesulfonamide (PFOSA)) (CAS No.: 754-91-6)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛酸(PFOA) (Perfluorooctanoic Acid (PFOA)) (CAS No.: 335-67-1)	參考CEN/TS 15968: 2010‧以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.



## **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024 頁數(Page): 6 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

Youl 소프 T

桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
全氟辛酸鈉 (PFOA-Na ) (Sodium	由全氟辛酸測試結果計算得之。(Calculated from	mg/kg	0.01▲	n.d.
perfluorooctanoate (PFOA-Na )) (CAS	the result of PFOA.)			
No.: 335-95-5)				
全氟辛酸鉀 (PFOA-K ) (Potassium	由全氟辛酸測試結果計算得之。(Calculated from	mg/kg	0.01▲	n.d.
perfluorooctanoate (PFOA-K)) (CAS	the result of PFOA.)			
No.: 2395-00-8)				
全氟辛酸銀 (PFOA-Ag ) (Silver	由全氟辛酸測試結果計算得之。(Calculated from	mg/kg	0.01▲	n.d.
perfluorooctanote (PFOA-Ag)) (CAS	the result of PFOA.)			
No.: 335-93-3)				
全氟辛氟 (PFOA-F) (Perfluorooctanoyl	由全氟辛酸測試結果計算得之。(Calculated from	mg/kg	0.01▲	n.d.
fluoride (PFOA-F)) (CAS No.: 335-66-0)	the result of PFOA.)			
全氟辛酸銨 (APFO) (Ammonium	由全氟辛酸測試結果計算得之。(Calculated from	mg/kg	0.01 🛦	n.d.
pentadecafluorooctanoate (APFO))	the result of PFOA.)			
(CAS No.: 3825-26-1)				
1H,1H,2H,2H-全氟癸磺酸 (8:2 FTS)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜	mg/kg	0.01	n.d.
(1H,1H,2H,2H-Perfluorodecanesulfonic	儀分析。(With reference to CEN/TS 15968:			
acid (8:2 FTS)) (CAS No.: 39108-34-4)	2010, analysis was performed by LC/MS/MS.)			
全氟辛酸甲酯 (Me-PFOA) (Methyl	參考CEN/TS 15968: 2010,以氣相層析儀/質譜儀	mg/kg	0.1	n.d.
perfluorooctanoate (Me-PFOA)) (CAS	分析。(With reference to CEN/TS 15968: 2010,			
No.: 376-27-2)	analysis was performed by GC/MS.)			
全氟辛酸乙酯 (Et-PFOA) (Ethyl	參考CEN/TS 15968: 2010,以氣相層析儀/質譜儀	mg/kg	0.1	n.d.
perfluorooctanoate (Et-PFOA)) (CAS	分析。(With reference to CEN/TS 15968: 2010,			
No.: 3108-24-5)	analysis was performed by GC/MS.)			
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH)	參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀	mg/kg	0.1	n.d.
(1H,1H,2H,2H-Perfluoro-1-decanol (8:2				
FTOH)) (CAS No.: 678-39-7)	analysis was performed by GC/MS.)			
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA)	參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀	mg/kg	0.1	n.d.
	分析。(With reference to CEN/TS 15968: 2010,			
FTA)) (CAS No.: 27905-45-9)	analysis was performed by GC/MS.)			



# **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9)	參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)
- 7. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region\_TW/DocDownload.aspx?name=Others

8. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量。
The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 7 of 14



## **Test Report**

號碼(No.): ETR24204349

日期(Date): 04-Mar-2024

頁數(Page): 8 of 14


名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.)

桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

#### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)





# **Test Report**


號碼(No.): ETR24204349

日期(Date): 04-Mar-2024

頁數(Page): 9 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





## **Test Report**

號碼(No.): ETR24204349


日期(Date): 04-Mar-2024

頁數(Page): 10 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

可塑劑分析流程圖 / Analytical flow chart - Phthalate

#### 【測試方法/Test method: IEC 62321-8】





# **Test Report**


號碼(No.): ETR24204349

日期(Date): 04-Mar-2024

頁數(Page): 11 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

#### 富馬酸二甲酯分析流程圖 / Analytical flow chart - Dimethyl Fumarate





# **Test Report**


號碼(No.): ETR24204349

日期(Date): 04-Mar-2024

頁數(Page): 12 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

#### 聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





# **Test Report**


號碼(No.): ETR24204349

日期(Date): 04-Mar-2024

頁數(Page): 13 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





## **Test Report**

號碼(No.): ETR24204349 日期(Date): 04-Mar-2024

頁數(Page): 14 of 14

名言塑膠顏料有限公司 (MIN YEN PLASTIC CO., LTD.) 桃園市楊梅區民豐路505號 (NO. 505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN (R. O. C.))

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETR24204349



\*\* 報告結尾 (End of Report) \*\*